## Pre-treatment of landfill leachate on the landfill Albota, Romania



09117 Chemnitz • Jagdschänkenstraße 52
Tel.: +49 (0) 371 881 22 39 • Fax: +49 (0) 371 881 45 89
E-mail: info@cue-chemnitz.de
Internet: www.cue-chemnitz.de

Objective: Installation of waste water treat-

ment plant for pre-treatment of

landfill leachate

**Location:** Pitesti, Romania

**Client:** Ministry of Environment


Romania, Ministry of Public

Finance (CFCU)

Year: since 2007

Budget: 10.000 € (total project

budget 2.3 mill €)



#### **Initial Situation:**

Landfill operation facility will be also designed within the closing of the old landfill Albota and construction of the new landfill body in the South-West of the city of Pitesti in Romania. The forecasted wastewater treatment facility is necessary for the pretreatment of all existing leachates on the landfill. The separation of organic materials, nitrogen and phosphor components will be realised by biological treatment. The pretreated water will be intermediate storage in the tank and transported by tanker to the final treatment in the treatment plant of Pitesti.


### **Scope of Services:**

- Complete planning and site supervision of the pre-treatment plant according to Romanian and EU standards for the following wastewaters:
  - o Landfill leachate of old and new landfill body Albota as well as further regional landfills
  - Condensate water from gas intake
  - o Process water from composting plant
  - o Wastewater from car wash
  - Wastewater from sorting plant
- Planning of leachate storage tanks, biological sewage treatment, compressor and chemical station as well as sludge treatment facility
- Process Supervision
- Project Management

# Pre-treatment of landfill leachate on the landfill Albota, Romania



09117 Chemnitz ● Jagdschänkenstraße 52 Tel.: +49 (0) 371 881 22 39 ● Fax: +49 (0) 371 881 45 89 E-mail: info@cue-chemnitz.de Internet: www.cue-chemnitz.de



Detailed plan

### **Technical Data:**

Daily leachate amount:62 m³/d Hourly flow: 2,6 m³/h

